

[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more](#) ▾[Sign in](#)

Google

ka

[Advanced search](#)

Search

About 49,200,000 results (0.11 seconds)

» [Programmatic role-based security for a dynamically generated user ...](#)

[www.patentstorm.us/applications/20050198324/claims.html](#) - Cached-Block all [www.patentstorm.us](#) results

The system of claim 6, further comprising a custom tag disposed in said first view for invoking said **access checking logic** and for **omitting** said **linkage** ...

[Everything](#)

[Application # 2005/0198324. Programmatic role-based security for a ...](#)

[patents.com/us-20050198324.html](#) - Cached

The system of claim 6, further comprising a custom tag disposed in said first view for invoking said **access checking logic** and for **omitting** said **linkage** responsive ...

[Images](#)[Maps](#)[Videos](#)[News](#)[Shopping](#)[More](#)

[Database Design Guide](#)

[www.smari-it-consulting.com/.../progress-database-design-guide/](#) - Cached

**Check** your spelling, renaming tables and attributes afterwards is a PITA. .... That means subsidiary companies share **access** to a lot more business objects than just countries and currencies. .... Tell your **delete** button to set a **logical** attribute isDeleted to true, or even dump the button and use a **check** ...  
How To **Link** Properly ...

[Alexandria, VA](#)[Change location](#)[All results](#)[Related searches](#)[More search tools](#)

[First Struts Tutorial using Eclipse, MyEclipse](#)

[www.jaluna.de/articles/posts/first-steps-using-struts-tutorial.html](#) - Cached

libraries. These includes will be use to **access** the tags of struts. In your case we only need the **logic** tag library. .... **check** if book exists and display message or iterate over books -%> ... print out the edit and **delete link** for each book -%> ...

### Doctrine - Doctrine ORM for PHP - Working with Models

[www.doctrine-project.org/documentation/en/working-with-models](http://www.doctrine-project.org/documentation/en/working-with-models) - Cached

Remember to **delete** any existing schema information and models from .... When **accessing** a one-to-one related record that doesn't exist, Doctrine ... Another way to easily create a **link** between two related components is by .... Its hard to iterate over it as you would need some duplicate data **checking logic** here and there. ...

### iQuery Fundamentals

[iqfundamentals.com/](http://iqfundamentals.com/) - Cached

The best way to do this is with a **link** to the license. ... Next, figure out which elements you'll need to **access** in order to solve the problem, and determine how ...

### JMeter - User's Manual: Component

#### Reference

[jakarta.apache.org/jmeter/usermanual/component\\_reference.html](http://jakarta.apache.org/jmeter/usermanual/component_reference.html) - Cached

18.2 **Logic** Controllers ... HTML **Link** Parser; HTTP URL Re-writing Modifier; HTML Parameter Mask .... If set, the JMeter sampler will **check** if the response is a redirect and follow it if .... The GET and **DELETE** request methods work similarly to each other. .... For those not familiar with the **access** log, it is the log the webserver ...

### IBM mainframe utility programs - Wikipedia, the free encyclopedia

[en.wikipedia.org/wiki/IBM\\_mainframe\\_utility\\_programs](http://en.wikipedia.org/wiki/IBM_mainframe_utility_programs) - Cached

The "**Access Method**" reference derives from the initial "VSAM replaces all other ... OUTPUT, // DISP=(NEW,CATLG,**DELETE**), // UNIT=DASD, // SPACE=(TRK,( 100 ... This data set comparison is performed at the **logical** record level. ... So it is very useful in comparing load modules, or **checking** that a copy worked properly. ...

### Ln - Linux Commands

[lowfatlinux.com/linux-link-files-ln.html](http://lowfatlinux.com/linux-link-files-ln.html) - Cached

You can **link** files together in two ways: with hard links or symbolic links. ... disk, but now sigmund can **access** it quickly with the name sformula (assuming hermie gives him write permission to the file). ... will not **remove** the file from the file system because sigmund still has a **link** to it. .... Spell **Checking** ... Shell Script **Logic** ...

### Database Normalization Process - Database

#### Recovery Downloads ...

[www.databasedev.co.uk/database\\_normalization\\_process.html](http://www.databasedev.co.uk/database_normalization_process.html) - Cached

In a relational database, a **logical** and efficient design is just as critical. ... your data due to irregular or inconsistent storage (**delete**, insert and update irregularity , ... databasedev.co.uk - database solutions and downloads for microsoft **access** .... table, which should include a **link**, back to the student table (called a foreign key). ...

Tip: These results include the word "link". Show results that include only "linkage".

**1** 2 3 4 5 6 7 8 9 10

**Next**

[Search Help](#)

[Give us feedback](#)

[Google Home](#)

[Advertising Programs](#)

[Business Solutions](#)

[Privacy](#)

[About Google](#)